




INTERIOR WOOD DOOR – LAMI SERIES
2024




Environment Protection


Sound Insulation


Moistureproof


Fire Prevention

LAMI DOOR INTRODUCTION

What's the LAMI DOOR?

LAMI Door is a kind of flush door decorated with durable low pressure decorative laminate.

Why choose LAMI DOOR?

To realize the uniform of affordable-cost and aesthetic, We develop the LAMI doors, which provides an ideal and economical solution for commercial projects. And plenty of solid color, various pattern and wood grain options are available.

Production Lead Time?

Standard 3 weeks to ship. Door to door shipping available.

Features of LAMI DOOR?

- Supreme aesthetic
- Cost-effective
- Anti-scratch & durable, easy to maintain
- Moistureproof
- No painting in factory or onsite Eco-friendly
- Available with a wide range of glass lites, louvers and hardware preps
- Various colors, patterns, textures, customized color available to meet design request
- Specified with any door core type offered, including non-rated, fire rated and acoustic core



TEAK 03



01

02



03

04

05



TEAK 08



01

02



03

04

05



TEAK 09



01


02



03

04

05



WALNUT 01



01



02



03



04



05



WALNUT 02




01



02



03



04



05



WALNUT 03



01



02



03



04




05



RAL 9003



RAL 9010



01



02



03



04



05



EV OAK 02



01



02



03



04



05



EV OAK 06



01



02



03




04




05

HARDWARE OPTIONS



BJ79231



BJ79247



BJ79270



BJ74205



BJ74268



BJ74225



Magnetic mortise lock



4.5"X4.5" SS Hinge



4"X3" SS Hinge



Zinc Alloyed Hidden hinge

HARDWARE COLOR OPTIONS



PC Polished Chrome




MSN Matt Satin Nickel




BLK Matt Black


JAMB & CASING TYPES




Casing-1 (W70)



Casing-2 (W50)



Jamb-1



Jamb-2

COLOR OPTIONS




RAL 9003




RAL 9010




EV OAK 2




EV OAK 6




TEAK 3




TEAK 8




TEAK 9



WALNUT 1



WALNUT 2





WALNUT 3

TECHNICAL DRAWINGS

Pull Opening

Adjustable jamb



L - finished opening width

600-900mm, 24"-36"

H - finished opening height

Max 3000mm, 118 - 1/4"

L1 - rough opening width

L + 90mm

H1 - rough opening height

H + 55mm